SEQUENCE LISTING

ing motif

```
<110> ENKAM Pharmaceutical A/S
<120> Compounds comprising LPA
<130> P 770 PC00
<160> 146
<170> PatentIn version 3.1
<210> 1
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> NCAM Fn III, 2 [Swiss-Prot: P13591]: FGFR binding motif
<400> 1
Glu Val Tyr Val Val Ala Glu Asn Gln Gln Gly Lys Ser Lys Ala
<210> 2
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> Interleukin-6 receptor beta chain [Swiss-Prot: Q00560]: FGFR bind
```

```
<400> 2
Asn Ile Glu Val Trp Val Glu Ala Glu Asn Ala Leu Gly Lys Lys Val
<210> 3
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Heparan sulfate proteoglycan perlecan [Swiss-Prot: P98160]: FGFR
       binding motif
<400> 3
Ala Thr Asn Arg Gln Gly Lys Val Lys Ala Phe Ala His Leu
                5
<210> 4
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> Disintegrin and metalloprotease domain 8 (ADAM-8) [Swiss-Prot: Q0
       5910]: FGFR binding motif
<400> 4
Arg Tyr Val Glu Leu Tyr Val Val Ala Asp Ser Gln Glu Phe Gln Lys
                                    10
<210> 5
<211> 13
<212> PRT
<213> Artificial sequence
<220>
```

```
<223> Axonal-associated cell adhesion molecule [NCBI: NP_446331]: FGFR
       binding motif
<400> 5
Val Ala Glu Asn Ser Arg Gly Lys Asn Val Ala Lys Gly
<210> 6
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Myelin-associated glycoprotein (MAG) [Swiss-Prot: P20917]: FGFR b
       inding motif
<400> 6
Gly Glu Tyr Trp Cys Val Ala Glu Asn Gln Tyr Gly Gln Arg
                5
<210> 7
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223>
       Neuronal nicotinic acetylcholine receptor alpha 3 subunit (CHRNA
       3) [Swiss-Prot: Q8VHH6/P04757:/Q8R4G9/P32297]: FGFR binding motif
<400> 7
Lys Tyr Ile Ala Glu Asn Met Lys Ala Gln Asn Val Ala Lys Glu Ile
<210> 8
<211> 14
<212> PRT
<213> Artificial sequence
```

```
<220>
<223> FIII,1 domain of NCAM (Swiss-Prot: P13591): FGFR binding motif
<400> 8
Thr Ile Met Gly Leu Lys Pro Glu Thr Arg Tyr Ala Val Arg
<210> 9
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Granulocyte colony stimulating factor receptor precursor (G-CSF-
       R; CD114 antigen) [ Swiss-Prot: Q99062]: FGFR binding motif
<400> 9
Lys Gly Leu Gly Glu Ile Ser Ala Ala Thr Glu Phe Lys Thr
<210> 10
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> NCAM Fn III, 1 [Swiss-Prot: P13591]: FGFR binding motif
<400> 10
Asn Met Gly Ile Trp Val Gln Ala Glu Asn Ala Leu Gly
<210> 11
<211> 14
```

```
<212> PRT
 <213> Artificial sequence
 <220>
<223> FIII,1 domain of NCAM [Swiss-Prot: P13591]: FGFR binding motif
<400> 11
Arg Leu Ala Ala Leu Asn Gly Lys Gly Leu Gly Glu Ile Ser
<210> 12
<211> 10
<212> PRT
<213> Artificial sequence
<220>
       Granulocyte colony stimulating factor receptor precursor (G-CSF-
       R; CD114 antigen) [Swiss-Prot: P40223]: FGFR binding motif
<400> 12
Ile Trp Val Gln Ala Glu Asn Met Leu Gly
<210> 13
<211> 11
<212> PRT
<213> Artificial sequence
<220>
      Cytokine-like factor-1 precursor (CLF-1) [Swiss-Prot: 075462]: FG
<223>
       FR binding motif
<400> 13
Glu Ile Trp Val Glu Ala Thr Asn Arg Leu Gly
<210> 14
```

```
<211> 10
<212> PRT
<213> Artificial sequence
<220>
<223> Interleukin-23 receptor (IL-23R) [Q8NFQ9]: FGFR binding motif
<400> 14
Val Trp Val Gln Ala Ala Asn Ala Leu Gly
<210> 15
<211> 13
<212> PRT
<213> Artificial sequence
<220>
      Complement factor 1 q , alpha polypeptide (C1QA) [Swiss-Prot: Q9D
<223>
       CM6]: FGFR binding motif
<400> 15
Glu Val Trp Ile Glu Lys Asp Pro Ala Lys Gly Arg Ile
<210> 16
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Fasciclin II precursor (FAS2) [Swiss-Prot: P22648]: FGFR binding
      motif
Ala Thr Asn Lys Gly Gly Glu Val Lys Lys Asn Gly His Leu
                                   10
```

```
<210> 17
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-19 precursor (EC 3.4.24.-) [Swiss-Prot: Q9H013/O35674]: FGFR
       binding motif
<400> 17
Lys Tyr Val Glu Leu Tyr Leu Val Ala Asp Tyr Leu Glu Phe Gln Lys
                                    10
<210> 18
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-8 precursor (EC 3.4.24.-) [Swiss-Prot: P78325]: FGFR binding
        motif
<400> 18
Arg Tyr Val Glu Leu Tyr Val Val Val Asp Asn Ala Glu Phe Gln
                                    10
<210> 19
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-12 precursor (EC 3.4.24.-)[Swiss-Prot: O43184; Q61824]: FGFR
        binding motif
```

```
<400> 19
Lys Tyr Val Glu Leu Val Ile Val Ala Asp Asn Arg Glu Phe Gln Arg
                                    10
<210> 20
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> Metalloproteinase-disintegrin domain containing protein TECADAM [
       AF163291] : FGFR binding motif
<400> 20
Lys Tyr Ile Glu Tyr Tyr Val Val Leu Asp Asn Gly Glu Phe Lys Lys
<210> 21
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-33 precursor (EC 3.4.24.-)[Swiss-Prot: Q9BZ11/Q923W9]: FGFR
       binding motif
<400> 21
Arg Tyr Leu Glu Leu Tyr Ile Val Ala Asp His Thr Leu Phe
<210> 22
<211> 15
<212> PRT
<213> Artificial sequence
```

```
<220>
<223> ADAM-1A Fertilin alpha [Swiss-Prot: Q8R533]: FGFR binding motif
<400> 22
Lys Tyr Val Glu Met Phe Val Val Val Asn His Gln Arg Phe Gln
<210> 23
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-9 [Swiss-Prot: Q13433; Q61072]: FGFR binding motif
<400> 23
Arg Tyr Val Glu Leu Phe Ile Val Val Asp Lys Glu Arg Tyr
<210> 24
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-7 precursor [Swiss-Prot: Q9H2U9]: FGFR binding motif
<400> 24
Lys Tyr Val Glu Leu Phe Ile Val Ala Asp Asp Thr Val Tyr Arg Arg
                                    10
<210> 25
<211> 16
<212> PRT
<213> Artificial sequence
```

```
<220>
<223> ADAM-7 precursor [Swiss-Prot: O35227; Q63180]: FGFR binding motif
<400> 25
Lys Phe Ile Glu Leu Phe Val Val Ala Asp Glu Tyr Val Tyr Arg Arg
<210> 26
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-15 precursor [Swiss-Prot: Q9QYV0; O88839]: FGFR binding moti
<400> 26
Lys Ile Val Glu Lys Val Ile Val Ala Asp Asn Ser Glu Val Arg Lys
                                   10
<210> 27
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> ADAM-15 precursor [Swiss-Prot: Q13444]: FGFR binding motif
<400> 27
Val Glu Leu Val Ile Val Ala Asp His Ser Glu Ala Gln Lys
<210> 28
<211> 13
<212> PRT
<213> Artificial sequence
```

```
<220>
<223> Neural cell adhesion protein BIG-2 precursor [Swiss-Prot: Q62845]
       : FGFR binding motif
<400> 28
Val Ala Glu Asn Ser Arg Gly Lys Asn Ile Ala Lys Gly
<210> 29
<211> 13
<212> PRT
<213> Artificial sequence
<220>
      Neuronal glycoprotein CNTN3 [Swiss-Prot: Q07409]: FGFR binding mo
       tif
<400> 29
Ile Ala Glu Asn Ser Arg Gly Lys Asn Val Ala Arg Gly
<210> 30
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> NB-2(HNB-2/NB-2), a neural cell recognition molecule of the conta
       ctin/F3 subgroup [Swiss-Prot: 094779/P97527]: FGFR binding motif
<400> 30
Ala Glu Asn Ser Arg Gly Lys Asn Ser Phe Arg Gly
<210> 31
<211> 13
```

```
<212> PRT
<213> Artificial sequence
<220>
      HNB-3/NB-3 [Swiss-Prot: Q9UQ52/P97528/Q9JMB8]: FGFR binding motif
<223>
<400>
Ile Ala Ser Asn Leu Arg Gly Arg Asn Leu Ala Lys Gly
               5
<210>
      32
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223>
     Putative fat-like cadherin precursor (Drosiphila) [Swiss-Prot: Q9
      VW71]: FGFR binding motif
<400> 32
Ile Pro Glu Asn Ser Leu Gly Lys Thr Tyr Ala Lys Gly
<210>
      33
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Neuronal nicotinic acetylcholine receptor alpha 3 subunit (CHRNA3
      ) [Swiss-Prot: Q8VHH6/P04757/Q8R4G9/P32297]: FGFR binding motif
<400> 33
Ile Ala Glu Asn Met Lys Ala Gln Asn Glu Ala Lys
```

```
<210> 34
<211> 16
<212> PRT
<213> Artificial sequence
<220>
<223> Neuronal acetylcholine receptor protein, alpha-6 chain precursor
       (CHRNA6) [Swiss-prot:Q15825 ]: FGFR binding motif
<400> 34
Gln Phe Ile Ala Glu Asn Met Lys Ser His Asn Glu Thr Lys Glu Val
<210> 35
                                                          ī
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> ROBO-1 [O44924]: FGFR binding motif
<400> 35
Gly Glu Tyr Trp Cys Val Ala Lys Asn Arg Val Gly Gln
               5
<210> 36
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> ROBO-1[AF041082; Q9Y6N7]: FGFR binding motif
<400> 36
Gly Ser Tyr Thr Cys Val Ala Glu Asn Met Val Gly Lys
               5
```

```
<210> 37
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> ROBO-1[AF041082; Q9Y6N7]: FGFR binding motif
<400> 37
Gly Lys Tyr Val Cys Val Gly Thr Asn Met Val Gly Glu Arg
<210> 38
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> FGFR2 [Q96KM2; P21802]: FGFR binding motif
<400> 38
Asn Tyr Thr Cys Val Val Glu Asn Glu Tyr Gly
<210> 39
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> FGFR2 [Q63241]: FGFR binding site
<400> 39
Gly Glu Tyr Thr Cys Leu Ala Gly Asn Ser Ile Gly
```

```
10
1
              5
<210> 40
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Fc receptor-like protein 1[Q96KM2] / fragment of IFGP 1 [Q96PJ6]:
       FGFR binding motif
<400> 40
Gln Tyr Tyr Cys Val Ala Glu Asn Gly Tyr Gly
<210> 41
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Junctional adhesion molecule (JAM-1) [Q9JKD5/088792]: FGFR bindin
       g motif
<400> 41
Gly Glu Tyr Tyr Gln Glu Ala Glu Gln Asn Gly Tyr Gly
                5
<210> 42
<211> 12
<212> PRT
 <213> Artificial sequence
 <400> 42
Gly Asn Tyr Thr Cys Leu Val Glu Asn Glu Tyr Gly
                5
```

```
<210> 43
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Contactin precursor (Neural adhesion molecule F3) [Q63198;/P1260;
       Q12860]: FGFR binding motif
<400> 43
Gly Met Tyr Gln Cys Leu Ala Glu Asn Ala Tyr Gly
                5
<210> 44
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223>
       Contactin precursor (Neural adhesion molecule F3/F11) [Q28106]: F
       GFR binding motif
<400> 44
Gly Met Tyr Gln Cys Ala Glu Asn Thr His Gly
               5
<210> 45
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Contactin precursor (Neural adhesion molecule F3/F11) [Q28106]: F
      GFR binding motif
```

```
<400> 45
Gly Ile Tyr Tyr Cys Leu Ala Ser Asn Asn Tyr Gly
<210> 46
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> IFGP2 [Q96PJ5]: FGFR binding motif
<400> 46
Gly Gly Tyr Tyr Cys Thr Ala Asp Asn Ser Tyr Gly
<210> 47
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Neurofascin precursor [Q90924]: FGFR binding motif
<400> 47
Gly Glu Tyr Gln Cys Phe Ala Arg Asn Asp Tyr Gly
<210> 48
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Neurofascin [Q90924]: FGFR binding motif
```

```
<400> 48
Gly Glu Tyr Phe Cys Leu Ala Ser Asn Lys Met Gly
<210> 49
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Neurofascin 155 Da isoform [Q91Z60]: FGFR binding motif
<400> 49
Gly Glu Tyr Gln Cys Phe Ala Arg Asn Lys Phe Gly
        5
<210> 50
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Neurofascin 155 Da isoform [Q91Z60]: FGFR binding motif
<400> 50
Gly Glu Tyr Phe Cys Leu Ala Ser Asn Lys Met Gly
       5
<210> 51
<211> 12
<212> PRT
<213> Artificial sequence
<220>
```

```
<223> Macrophage scavenger receptor 2 (MSR2) [Q91YK7]:FGFR binding moti
<400> 51
Gly Gly Tyr Tyr Cys Thr Ala Asp Asn Asn Tyr Gly
<210> 52
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223>
      Macrophage scavenger receptor 2 (MSR2) [Q91YK7]: FGFR binding mot
<400> 52
Gly Asn Tyr Ser Cys Glu Ala Glu Asn Ala Trp Gly Thr Lys
<210> 53
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Neural cell adhesion molecule L1[Q9QYQ7; Q9QY38; P11627; Q05695;
       P32004]: FGFR binding motif
<400> 53
Gly Glu Tyr Thr Cys Leu Ala Glu Asn Ser Leu Gly
                5
<210> 54
<211> 13
<212> PRT
<213> Artificial sequence
```

```
<220>
<223> Neural-glial cell adhesion molecule Ng-CAM [Q03696]: FGFR binding
       motif
<400> 54
Gly Glu Tyr Glu Cys Val Ala Glu Asn Gly Arg Leu Gly
<210> 55
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> FGFR3 [Q95M13; AF487554; Q99052]: FGFR binding motif
<400> 55
Gly Asn Tyr Thr Cys Val Val Glu Asn Lys Phe Gly Arg
<210> 56
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> FGFR3 [Q95M13; Q99052]: FGFR binding motif
<400> 56
Gly Glu Tyr Thr Cys Leu Ala Gly Asn Ser Ile Gly
<210> 57
<211> 12
<212> PRT
```

```
<213> Artificial sequence
<220>
<223> Neural cell adhesion molecule 2 (NCAM2) [P36335]: FGFR binding mo
      tif
<400> 57
Gly Glu Tyr Phe Cys Val Ala Ser Asn Pro Ile Gly
       5
<210> 58
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Neural cell adhesion molecule 2 (NCAM2) [P36335]: FGFR binding mot
<400> 58
Glu Tyr Thr Cys Ile Ala Asn Asn Gln Ala Gly Glu
<210> 59
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Axonin-1 (TAG-1) [Q02246;P22063; P28685]: FGFR binding motif
 <400> 59
Gly Met Tyr Gln Cys Val Ala Glu Asn Lys His Leu Gly
 <210> 60
<211> 13
```

```
<212> PRT
<213> Artificial sequence
<220>
<223> Neural cell adhesion molecule NCAM-140 AND ncam-140 [P13595]: FGF
      R binding motif
<400> 60
Gly Glu Tyr Met Cys Thr Ala Ser Asn Thr Ile Gly Gln
<210> 61
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Neural cell adhesion molecule NCAM-140 AND ncam-140 [P13595]: FGF
       R binding motif
<400> 61
Glu Tyr Val Cys Ile Ala Glu Asn Lys Ala Gly Glu Gln
<210> 62
<211> 13
<212> PRT
<213> Artificial sequence
<220>
      Neurotrophin receptor tyrosin kinase type 2 (NTRKT) [Q8WXJ5]:FGFR
<223>
       binding motif
<400> 62
Gly Asp Tyr Thr Leu Ile Ala Lys Asn Glu Tyr Gly Lys
                5
```

```
<210> 63
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223>
      Colorectal cancer suppressor DCC [P43146]: FGFR binding motif
<400> 63
Gly Phe Tyr Gln Cys Val Ala Glu Asn Glu Ala Gly
<210> 64
<211> 14
<212> PRT
<213> Artificial sequence
<220>
      Tyrosine phosphatase LAR (ptprf) [Q9EQ17; Q64604; P23468]: FGFR b
       inding motif
<400> 64
Gly Lys Tyr Glu Cys Val Ala Thr Asn Ser Ala Gly Thr Arg
                5
<210> 65
<211> 12
<212> PRT
<213> Artificial sequence
<220>
      Platelet-derived growth factor receptor beta (PDGFRB) [Q8R406; Q0
      5030]: FGFR binding motif
<400> 65
```

```
Gly Glu Tyr Phe Cys Val Tyr Asn Asn Ser Leu Gly
                5
<210> 66
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Intercellular adhesion molecule-5 (ICAM-5, telencephalin) [Q8TAM9
       ; Q60625]: FGFR binding motif
<400> 66
Gly Glu Tyr Glu Cys Ala Ala Thr Asn Ala His Gly Arg
<210> 67
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> B-cell receptor CD22 precursor (Leu-14; B-lymphocyte cell adhesio
       n molecule) [P20273]: FGFR binding motif
<400> 67
Gly Ala Tyr Trp Cys Gln Gly Thr Asn Ser Val Gly Lys
               5
<210> 68
<211> 12
<212> PRT
<213> Artificial sequence
<220>
```

```
<223> B-cell receptor CD22 precursor (Leu-14; B-lymphocyte cell adhesio
      n molecule) [P20273]: FGFR binding motif
<400> 68
Gly Thr Tyr Ser Cys Val Ala Glu Asn Ile Leu Gly
               5
<210> 69
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> NCAM-2 [Swiss-Prot: O15394; O35136]: FGFR binding motif
<400> 69
Arg Val Ala Ala Val Asn Gly Lys Gly Gln Gly Asp Tyr Ser
<210> 70
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> HCF-2 (Host cell factor 2) [Swiss-Prot: Q9Y5Z7]: FGFR binding mot
       if: FGFR binding motif
 <400> 70
Arg Val Ala Ala Ile Asn Gly Cys Gly Ile Gly Pro Phe Ser
                5
 <210> 71
 <211> 9
 <212> PRT
 <213> Artificial sequence
```

```
<220>
<223> ICLN (Chloride channel regulator, inducer) [Swiss-Prot: P97506; Q
      9NRD2; Q61189; P54105]: FGFR binding motif
<400> 71
Ala Val Leu Asn Gly Lys Gly Leu Gly
<210> 72
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Galectin-12 [Swiss-Prot: Q91VD1; Q9JKX2; Q9NZ03]: FGFR binding mo
       tif
<400> 72
Ala Leu Asn Gly Gln Gly Leu Gly Ala Thr Ser
<210> 73
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223>
      Human receptor-like protein tyrosine phosphatase leukocyte common
       antigen-related molecule (PTPRF) [Swiss-Prot: P10586]: FGFR bind
       ing motif
<400> 73
Arg Leu Ala Ala Lys Asn Arg Ala Gly Leu Gly Glu
<210> 74
<211> 13
```

```
<212> PRT
<213> Artificial sequence
<220>
<223> Natural resistance-associated macrophage protein 1(NRAMP-1, SLC11
      A1) [Swiss-Prot: 077741]: FGFR binding motif
<400> 74
Arg Leu Gly Val Val Thr Gly Lys Asp Leu Gly Glu Ile
<210> 75
<211> 14
<212> PRT
<213> Artificial sequence
<220>
      NCAM2 (180 kDa isoform precursor ) [Swiss-Prot: P36335]: FGFR bin
      ding motif
<400> 75
Thr Val Thr Gly Leu Lys Pro Glu Thr Ser Tyr Met Val Lys
<210> 76
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Nephrin [Swiss-Prot: Q925S5; Q9JIX2; Q9ET59; Q9R044; Q9QZS7]: FGF
      R binding motif
<400> 76
Thr Leu Thr Gly Leu Lys Pro Ser Thr Arg Tyr Arg Ile
```

```
<210> 77
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Nephrin [Swiss-Prot: 060500]: FGFR binding motif
<400> 77
Thr Leu Thr Gly Leu Gln Pro Ser Thr Arg Tyr Arg Val
<210> 78
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Tyrosine phosphatase LAR (PTPRF) [Swiss-Prot : Q9EQ17]: FGFR bind
       ing motif
<400> 78
Thr Leu Leu Gly Leu Lys Pro Asp Thr Thr Tyr Asp Ile Lys
                5
<210> 79
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Leukocyte common antigen-related phosphatase ptp2 precursor (LAR-
      PTP2) [Swiss-Prot: Q64605]: FGFR binding motif
<400> 79
Thr Leu Gln Gly Leu Arg Pro Glu Thr Ala Tyr Glu Leu Arg
```

```
5
                                   10
1
<210>
      80
<211>
     14
<212> PRT
<213> Artificial sequence
<220>
<223> Protein-tyrosine phosphatase, receptor-type, S precursor (EC 3.1.
      3.48) (Protein-tyrosine phosphatase sigma) (RPTP-sigma) [Swiss-Pr
      ot: Q64699]: FGFR binding motif
<400> 80
Thr Leu Arg Gly Leu Arg Pro Glu Thr Ala Tyr Glu Leu Arg
                5
<210> 81
<211> 14
<212> PRT
<213> Artificial sequence
<220>
      Tyrosine-protein kinase receptor Tie-1 precursor (TIE1.) (EC 2.7.
       1.112) [Swiss-Prot: Q06805; P35590]: FGFR binding motif
<400> 81
Thr Leu Met Asn Leu Arg Pro Lys Thr Gly Tyr Ser Val Arg
                5
<210> 82
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Ephrin type-A receptor 8 precursor to (EPHA8..) (EC 2.7.1.112) (Ty
```

```
rosine-protein kinase receptor EEK) (EPH-and ELK-related kinase)
       ]: [Swiss-Prot: 009127; 009127; P29322]; FGFR binding motif
<400>
      82
Thr Val Ser Gly Leu Lys Pro Gly Thr Arg Tyr
               5
<210>
      83
<211> 11
<212> PRT
<213> Artificial sequence
<220>
      Ephrin type-A receptor 3 precursor (EC 2.7.1.112) (Tyrosine-prote
<223>
       in kinase receptor ETK1) (CEK4) (EPHA3..) [tn: P29318]: FGFR bind
       ing motif
<400> 83
Thr Ile Ser Gly Leu Lys Pro Asp Thr Thr Tyr
<210>
      84
<211> 11
<212> PRT
<213> Artificial sequence
<220>
       Protein-tyrosine phosphatase receptor-type S precursor (EC 3.1.3.
<223>
       48) (Protein-tyrosine phosphatase sigma, PTPRS) [Swiss-Prot: Q133
       32]: FGFR binding motif
<400> 84
Thr Leu Gln Gly Leu Lys Pro Asp Thr Ala Tyr
<210> 85
<211> 12
<212> PRT
```

```
<213> Artificial sequence
<220>
<223> Insulin receptor [Swiss-Prot: Q9PWN6]: FGFR binding motif
<400> 85
Leu Arg Gly Leu Lys Pro Trp Thr Gln Tyr Ala Val
<210> 86
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Type VII collagen [Swiss-Prot: Q63870]: FGFR binding motif
<400> 86
Ile Asp Gly Leu Glu Pro Asp Thr Glu Tyr Ile Val Arg
<210> 87
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Insulin-like growth factor-1 receptor precursor [Swiss-Prot: 0737
      98]: FGFR binding motif
<400> 87
Leu Gln Gly Leu Lys Pro Trp Thr Gln Tyr Ala Ile
<210> 88
<211> 14
```

```
<212> PRT
<213> Artificial sequence
<220>
<223> Fibronectin [Swiss-Prot: Q95KV4; Q95KV5; P07589; Q28377; U42594;
       095609]: FGFR binding motif
<400> 88
Thr Ile Thr Gly Leu Glu Pro Gly Thr Glu Tyr Thr Ile Gln
<210> 89
<211> 10
<212> PRT
<213> Artificial sequence
<220>
        Insulin-like growth factor I receptor (IGF I receptor beta-subun
<223>
       it, IGF I receptor alpha-subunit) [Swiss-Prot: Q9QVW4; P08069; P2
       4062; Q60751; P15127; P15208]: FGFR binding motif
<400> 89
Gly Leu Lys Pro Trp Thr Gln Tyr Ala Val
<210> 90
<211> 13
<212> PRT
<213> Artificial sequence
<220>
       Insulin receptor-related protein precursor (EC 2.7.1.112) (IRR) (
<223>
       IR-related receptor) [Swiss-Prot: P14616]: FGFR binding motif
<400> 90
Thr Leu Ala Ser Leu Lys Pro Trp Thr Gln Tyr Ala Val
                                    10
```

8

```
<210> 91
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Tenascin-R (restrictin) [Swiss-Prot: Q15568; 000531]: FGFR bindin
       g motif
<400> 91
Leu Met Gly Leu Gln Pro Ala Thr Glu Tyr Ile Val
<210> 92
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Neogenin precursor (NEO1..) [Swiss-Prot: Q92859; P97603; Q90610;
       P97798]: FGFR binding motif
<400> 92
Lys Gly Met Gly Pro Met Ser Glu Ala Val Gln Phe Arg Thr
<210> 93
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223>
      Protein tyrosine phosphatase receptor type D (PTPRD, BA175E13.1)
        [Swiss-Prot: Q8WX65; Q9IAJ1; P23468; Q64487]: FGFR binding motif
```

```
<400> 93
Thr Leu Thr Gly Leu Lys Pro Asp Thr Thr Tyr Asp Val Lys
                                    10
<210> 94
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Protein tyrosine phosphatase receptor type D (PTPRD, BA175E13.1 )
        [Swiss-Prot: Q8WX65; Q9IAJ1; P23468; Q64487]: FGFR binding motif
<400> 94
Ile Ser Gly Leu Gln Pro Glu Thr Ser Tyr Ser Leu
                5
                                    10
<210> 95
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Protein-tyrosine phosphatase receptor-type F precursor (EC 3.1.3
       .48) (LAR protein) (Leukocyte antigen related) [Swiss-Prot: Q6460
       4; Q9QW67; P10586]: FGFR binding motif
<400> 95
Thr Leu Leu Gly Leu Lys Pro Asp Thr Thr Tyr Asp Ile Lys
<210> 96
<211> 13
<212> PRT
<213> Artificial sequence
```

```
<220>
<223> Protein-tyrosine phosphatase receptor-type F precursor (EC 3.1.3.
      48) (Leukocyte antigen related) [Swiss-Prot: Q64604; Q9QW67; P105
      86]: FGFR binding motif
<400> 96
Thr Ile Ser Gly Leu Thr Pro Glu Thr Thr Tyr Ser Ile
<210> 97
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> CD22 [Q9R094]: FGFR binding motif
<400> 97
Gly Asn Tyr Ser Cys Leu Ala Glu Asn Arg Leu Gly Arg
<210> 98
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> FGFR-4 [Q91742]: FGFR binding motif
<400> 98
Gly Asn Tyr Thr Cys Val Val Glu Asn Arg Val Gly
<210> 99
<211> 12
<212> PRT
<213> Artificial sequence
```

```
<220>
<223> ICAM-5 [Q8TAM9]: FGFR binding motif
<400> 99
Gly Thr Tyr His Cys Val Ala Thr Asn Ala His Gly
                5
<210> 100
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> FIII,4 domain of L1: FGFR binding motif [Swiss-Prot: Q9QY38]
<400> 100
Leu Ser His Asn Gly Val Leu Thr Gly Tyr Leu Leu Ser Tyr
                5
                                    10
<210> 101
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223>
      Neuron-glia cell adhesion molecule (Ng-CaM) precursor .[Gallus ga
       llus]; [Swiss-Prot: Q90933]: FGFR binding motif
<400> 101
Asn Gly Val Leu Thr Gly Tyr Val Leu Arg Tyr
<210> 102
<211> 11
<212> PRT
```

```
<213> Artificial sequence
<220>
<223> Neurofascin precursor .[Gallus gallus]; [Swiss-Prot: 042414]: FGF
      R binding motif
<400> 102
Asn Gly Val Leu Thr Gly Tyr Asn Leu Arg Tyr
<210> 103
<211> 11
<212> PRT
<213> Artificial sequence
<220>
      (CALL) Neural cell adhesion molecule. [Homo sapiens] .[ Swiss-Pro
<223>
       t: 000533]: FGFR binding motif
<400> 103
Asn Gly Asn Leu Thr Gly Tyr Leu Leu Gln Tyr
<210> 104
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223>
      f Neuroglian. [Manduca sexta] . [ Swiss-Prot: P91767]: FGFR bindin
       g motif
<400> 104
Val Asp Glu Asn Gly Val Leu Thr Gly Tyr Lys Ile Tyr Tyr
```

```
<210> 105
<211> 13
<212> PRT
<213> Artificial sequence
<220>
<223> Protein-tyrosine phosphotase sigma [Swiss-Prot: 075870]; and [Sw
       iss-Prot: Q13332] [Homo sapiens] :FGFR binding motif
<400> 105
Thr His Asn Gly Ala Leu Val Gly Tyr Ser Val Arg Tyr
                5
<210> 106
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> NR-CaM 12 [Rattus sp] , [Swiss-Prot: Q9QVN3]: FGFR binding motif
<400> 106
Asn Gly Ile Leu Thr Glu Tyr Ile Leu Lys Tyr
<210> 107
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Neurofascin 155 kDa isoform. [Rattus norvegicus], [ Swiss-Prot: Q91
       Z60]: FGFR binding motif
<400> 107
Asn Gly Ile Leu Ile Gly Tyr Thr Leu Arg Tyr
```

```
1
                5
                                    10
<210> 108
<211> 13
<212> PRT
<213> Artificial sequence
<220>
       Neogenin (Fragment). [Gallus gallus], [Swiss-Prot: Q90610]: FGFR b
       inding motif
<400> 108
Thr His Ser Gly Gln Ile Thr Gly Tyr Lys Ile Arg Tyr
<210> 109
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> Neogenin (Fragment).[Gallus gallus], [Swiss-Prot: Q90610]:FGFR bi
       nding motif
<400> 109
Asn Gly Lys Ile Thr Gly Tyr Ile Ile Tyr Tyr
<210> 110
<211> 10
<212> PRT
<213> Artificial sequence
<220>
       Metalloprotease 1 (pitrilysin family). [Homo sapiens] [ Swiss-Pro
<223>
       t: Q9BSI6]:FGFR binding motif
```

```
<400> 110
Leu Ser His Asn Gly Ile Phe Thr Leu Tyr
                                   10
<210> 111
<211> 11
<212> PRT
<213> Artificial sequence
<220>
<223> HBRAVO/Nr-CaM.[Homo sapiens].[Swiss-Prot: Q92823; O15179]: FGFR b
       inding motif
<400> 111
Asn Gly Ile Leu Thr Glu Tyr Thr Leu Lys Tyr
<210> 112
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Protein-tyrosine phosphatase kappa precursor (EC 3.1.3.48) (R-PTP
       -kappa).[Homo sapiens].[Swiss-Prot: Q15262]: FGFR binding motif
<400> 112
Leu Asp Pro Asn Gly Ile Ile Thr Gln Tyr Glu Ile Ser Tyr
<210> 113
<211> 11
<212> PRT
<213> Artificial sequence
```

```
<220>
<223> Neogenin precursor (NEO1..). [Homo sapiens and Mus musculus] [Swiss
      -Prot: Q92859; P97798]: FGFR binding motif
<400> 113
Asn Gly Lys Ile Thr Gly Tyr Ile Ile Tyr Tyr
                                    10
<210> 114
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> Neural cell adhesion L1( SPLICE ISOFORM 2 ) [Homo sapiens [Swiss-P
       rot: P32004 ]; [Mus musculus Swiss-Prot: Q9QY38]: FGFR binding
       motif
<400> 114
His Leu Glu Val Gln Ala Phe Asn Gly Arg Gly Ser Gly Pro Ala
<210> 115
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> NB-2.[Rattus norvegicus] [Swiss-Prot: P97527]:FGFR binding motif
<400> 115
His Leu Thr Val Arg Ala Tyr Asn Gly Ala Gly Tyr Gly Pro
<210> 116
<211> 15
<212> PRT
```

```
<213> Artificial sequence
<220>
<223> Neural cell adhesion protein BIG-2 precursor. [Rattus norvegicus] [
       Swiss-Prot: Q62845]: FGFR binding motif
<400> 116
His Leu Ser Val Lys Ala Tyr Asn Ser Ala Gly Thr Gly Pro Ser
               5
<210> 117
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> Axonal-associated cell adhesion molecule. [Homo sapiens]. [Swiss-P
       rot: Q8TC35]:FGFR binding motif
<400> 117
His Leu Ala Val Lys Ala Tyr Asn Ser Ala Gly Thr Gly Pro Ser
<210> 118
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Contactin A/F3/F11. [Xenopus laevis] [Swiss-Prot: 093250]: FGFR bi
       nding motif
<400> 118
Asn Leu Glu Val Arg Ala Phe Asn Ser Ala Gly Asp Gly Pro
<210> 119
```

```
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Neural cell adhesion molecule CALL. [Homo sapiens] [Swiss-Prot: 00
       0533]:FGFR binding motif
<400> 119
His Leu Thr Val Leu Ala Tyr Asn Ser Lys Gly Ala Gly Pro
<210> 120
<211> 13
<212> PRT
<213> Artificial sequence
<220>
       Neuron-glia cell adhesion molecule (Ng-CaM) precursor. [Gallus gal
       lus] [Swiss-Prot: Q909339]: FGFR binding motif
<400> 120
Leu Arg Val Leu Val Phe Asn Gly Arg Gly Asp Gly Pro
<210> 121
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Contactin precursor (Neural cell recognition molecule F11).[Gallu
       s gallus] [Swiss-Prot: P14781]: FGFR binding motif
<400> 121
His Ile Asp Val Ser Ala Phe Asn Ser Ala Gly Tyr Gly Pro
```

```
<210> 122
<211> 10
<212> PRT
<213> Artificial sequence
<220>
<223> SLIT [Drosophila melanogaster] [Swiss-Prot: Q9XYV4]: FGFR binding
        motif
<400> 122
His Leu Ala Val Glu Leu Phe Asn Gly Arg
<210> 123
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Galectin-4. [Mus musculus] [Swiss-Prot: Q8K419, P38552]: FGFR bin
       ding motif
<400> 123
Leu Glu Leu Gln Ser Ile Asn Phe Leu Gly Gly Gln Pro Ala
<210> 124
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> HNB-2.[Homo sapiens] Swiss-Prot: 094779: FGFR binding motif
<400> 124
```

```
His Phe Thr Val Arg Ala Tyr Asn Gly Ala Gly Tyr Gly Pro
<210> 125
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> The EFL peptide (from the FIII,3 domain of L1) [Swiss-Prot: P3200
       4]: FGFR binding motif
<400> 125
His Leu Glu Val Gln Ala Phe Asn Gly Arg Gly Ser Gln Pro Ala
<210> 126
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Fragment of Neuroglian (Drosophila) [ Swiss-prot: P202419]: FGFR b
       inding motif
<400> 126
Val Ile Ala Asp Gln Pro Thr Phe Val Lys Tyr Leu Ile Lys
<210> 127
<211> 14
<212> PRT
<213> Artificial sequence
<220>
```

```
<223> Fragment of Fibronectin (bovine) [Swiss-prot: P07589]: FGFR bindi
      ng motif
<400> 127
Thr Ile Lys Gly Leu Arg Pro Gly Val Val Tyr Glu Gly Gln
<210> 128
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Tenascin (chick) [Swiss-prot: P10039]: FGFR binding motif
<400> 128
Thr Leu Thr Glu Leu Ser Pro Ser Thr Gln Tyr Thr Val Lys
<210> 129
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> Ephrin type A receptor2 [Swiss-prot: Q8N3Z2]: FGFR binding motif
<400> 129
Thr Leu Asp Asp Leu Ala Pro Asp Thr Thr Tyr Leu Val Gln
<210> 130
<211> 14
<212> PRT
<213> Artificial sequence
```

```
<220>
<223> LAR [Swiss-prot Q9VIS8]: FGFR binding motif
<400> 130
Thr Val Ser Asp Val Thr Pro His Ala Ile Tyr Thr Val Arg
<210> 131
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> RTK (Tie-1,hu) [Swiss-prot P35590]: FGFR binding motif
<400> 131
Ile Ile Arg Gly Leu Asn Ala Ser Thr Arg Tyr Leu Phe Arg
<210> 132
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> RTK (Tie-1,hu) [Swiss-prot P35590]: FGFR binding motif
<400> 132
Thr Leu Met Asn Leu Arg Pro Lys Thr Gly Tyr Ser Val Arg
               5
<210> 133
<211> 14
<212> PRT
<213> Artificial sequence
```

```
<220>
<223> Consensus sequence (conserved domain database): FGFR binding motif
<400> 133
Thr Leu Thr Gly Leu Lys Pro Gly Thr Glu Tyr Glu Val Arg
<210> 134
<211> 14
<212> PRT
<213> Artificial sequence
<220>
<223> The beta-common cytokine receptor of IL-3. Il-5 and GmCsf [Swiss-
       prot P32927]: FGFR binding motif
<400> 134
Gly Pro Glu His Leu Met Pro Ser Ser Thr Tyr Val Ala Arg
<210> 135
 <211> 14
 <212> PRT
 <213> Artificial sequence
 <220>
 <223> Unc-22 (C. Elegance) [Swiss-prot: Q23550]: FGFR binding motif
 <400> 135
 Arg Val Thr Gly Leu Thr Pro Lys Lys Thr Tyr Glu Phe Arg
                 5
 <210> 136
 <211> 14
 <212> PRT
 <213> Artificial sequence
```

SUBSTITUTE SHEET (RULE 26)

```
<220>
<223> Consensus sequence (conserved domain database): FGFR binding motif
<400> 136
Thr Leu Thr Gly Leu Lys Pro Gly Thr Glu Tyr Glu Phe Arg
<210> 137
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus sequence (conserved domain database): FGFR binding motif
<400> 137
Glu Val Arg Val Gln Ala Val Asn Gly Gly Gly Asn Gly Pro Pro
               5
<210> 138
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Drosophila Neuroglian [Swiss-prot: P20241]: FGFR binding motif
<400> 138
Leu Ile Lys Val Val Ala Ile Asn Asp Arg Gly Glu
               5
<210> 139
<211> 12
<212> PRT
```

```
<213> Artificial sequence
<220>
<223> Fibronectin (mouse) [Swiss-prot: P11276]: FGFR binding motif
<400> 139
Val Val Ser Ile Ile Ala Val Asn Gly Arg Glu Glu
<210> 140
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Fibronectin (bovine) [Swiss-prot: P07589]:FGFR binding motif
<400> 140
Val Val Ser Val Tyr Ala Gln Asn Gln Asn Gly Glu
<210> 141
<211> 12
<212> PRT
<213> Artificial sequence
<220>
<223> Tenascine (chick) [Swiss-prot: Q90995]: FGFR binding motif
<400> 141
Thr Ile Ser Leu Val Ala Glu Lys Gly Arg His Lys
              5
<210> 142
<211> 15
```

```
<212> PRT
<213> Artificial sequence
<220>
<223> L1 (human, F3, EFL) [Swiss-prot: P32004]: FGFR binding motif
<400> 142
His Leu Glu Val Gln Ala Phe Asn Gly Arg Gly Ser Gly Pro Ala
<210> 143
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> L1 (mouse, F3, EFL) [Swiss-prot: P11627]: FGFR binding motif
<400> 143
His Val Glu Val Gln Ala Phe Asn Gly Arg Gly Leu Gly Pro Ala
<210> 144
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> L1 (rat, F3,EFL) [Swiss-prot: Q05695]: FGFR binding motif
<400> 144
His Val Glu Val Gln Ala Phe Asn Gly Arg Gly Leu Gly Pro Ala
<210> 145
<211> 13
```

```
<212> PRT
<213> Artificial sequence
<220>
<223> Consensus sequence (conserved domain database): FGFR binding motif
<400> 145
Glu Phe Arg Val Arg Ala Val Asn Gly Ala Gly Glu Gly
               5
<210> 146
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> The beta-common cytokine receptor of IL-3. Il-5 and GmCsf [Swiss-
       prot: P32927]: FGFR binding motif
<400> 146
Val Ala Arg Val Arg Thr Arg Leu Ala Pro Gly Ser Arg Leu Ser
<210> 147
<211> 15
<212> PRT
<213> Artificial sequence
<220>
<223> Control peptide (Mutated FGL peptide)
<400> 1
Glu Val Tyr Val Val Ala Glu Asn Ala Ala Gly Lys Ser Lys Ala
```